

Vapro Total Release Aerosol - Label

A 3 Pentrich Rd, Masons Mill, Pietermaritzburg, 3201

P +27 (0) 33 342 2111

M info@synvita.co.za

Reg No. L10065 Act. 36 of 1947
Namibian Reg No. N-AR1795

Read the label before use.
Keep out of the reach of children and animals.

GROUP	2B	INSECTICIDES
-------	----	--------------

"FOGGER"
TOTAL RELEASE AEROSOL

Scientifically proven to kill crawling and flying insects.



DANGER

Extremely flammable aerosol.
Pressurized containers may burst if heated

Hazard Statements

Extremely flammable aerosol. Pressurized container may burst if heated.
May be harmful if inhaled.
May cause drowsiness or dizziness.
Causes serious eye irritation.

Precautionary Statement:

Keep away from heat, hot surfaces, sparks, open and other ignition sources. No smoking.
Do not spray on an open flame or other ignition source.
Contaminated work clothing should not be allowed out of the workplace.
Store in a well-ventilated place. Keep container tightly closed.
Avoid breathing fume/gas/mist/vapour/spray.

Active Ingredients

Cypermethrin (Pyrethroid) 2.20 g/kg
Prallethrin (Pyrethroid) 1.10 g/kg
Piperonyl butoxide (Synergist) 8.00 g/kg
Pyriproxyfen (Pyridine) (IGR) 0.50 g/kg

NET CONTENTS: 300ml

Registration Holder:

Lifeguard Sciences (Pty) Ltd
Reg. No. 2014/079879/07
3 Pentrich Road, Masons Mills, 3201.

Manufactured & Distributed by:

Synvita (Pty) Ltd

+27 33 346 1920.

Batch no.: See packaging.

Date manufactured: See packaging.

UN NO.: 1950

In case of poisoning, call the following number. **Emergency number - Griffon Poison Centre 082 446 8946.****WARNINGS:**

- May cause allergic skin reaction.
- Toxic to aquatic life with long lasting effects.
- HANDLE WITH CARE.
- Keep out of reach of children, uninformed persons, and animals.
- Do not puncture or incinerate container.
- Do not leave on hot surface e.g. Stoves, radiators or in direct sunlight.

NOTICE TO THE USER: VAPRO is to be used only in accordance with the instruction on the label. It is an offence under the act to use this product in a manner contrary with the directions on the label.

PRECAUTIONS:

- Avoid skin contact and excessive inhalation.
- Do not use in the presence of persons with known sensitivity to pyrethroids. Should signs of sensitivity be observed, obtain medical advice.
- Do not eat drink or smoke when applying.
- Avoid contact with skin, eyes, and clothing. In case of contact, wash thoroughly with soap and lukewarm water.
- Remove pets and cover fish tanks before spraying.
- Avoid contamination of food utensils or food preparation surfaces.
- Avoid wetting plastic, rubber, and asphalt surfaces such as tiles and floor coverings.
- Wear respirator, goggles and protective clothing if entering the area during or immediately after activation of the aerosol.
- Avoid release to the environment.
- Wash affected area thoroughly after handling.
- Use only outdoors or in a well-ventilated area.
- Do not pierce or burn, even after use.
- Protect from sunlight. Do not expose to temperatures exceeding 50°C or 122°F.
- Store locked up.
- Dispose of contents/container in accordance with the local regulations.

RELEVANT SUBSTANCES

Cypermethrin, < 1%, Cas No. 52315-07-8; Prallethrin, >0.1%, Cas No. 23031-36-9; Piperonyl Butoxide, <1%, Cas No. 51-03-6; Pyriproxyfen, <0.1%, 95737-68-1; Acetone, <50%, Cas No. 67-64-1; Dimethyl Ether, >30%, Cas No. 115-10-6.

FIRST FIRST AID:**Symptoms of poisoning:**

Local: Skin and eye paraesthesia may be severe, usually transient with resolution within 24 hours.

Eye and mucous membrane irritation: Cough and sneezing.

Systemic: Discomfort and tightness in the chest, tachycardia, hypotension, nausea, abdominal pain, diarrhoea, vomiting, dizziness, blurred vision, headache, anorexia, convulsions, tremors and prostration.

First aid treatment:

Remove patient from source of poisoning to a well-ventilated area and keep quiet and reassured.

Remove any contaminated clothing as soon as possible.

IF SWALLOWED: Do not induce vomiting. Seek medical attention immediately.

IF INHALED: Avoid excessive inhalation. Remove person to a well-ventilated area.

IF ON SKIN: Wash thoroughly with soap and water. Take off contaminated clothing. And wash it before reuse.

IF IN EYES: Wash with copious amounts of clean water for 12 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If misuse of this product results in accidental illness SEEK MEDICAL ADVICE PROMPTLY.

Notes to Physician.**Risks:**

This product contains a pyrethroid.

WHO-classification: III (Slightly hazardous)

Treatment:

Initial treatment: Symptomatic.

After eye contact: Instillation of local anaesthetic drops e.g. 1% Amethocaine Hydrochloride eye drops. Give Analgesics as necessary.

Systematic treatment:

Initial treatment: Symptomatic. Monitoring of respiratory and cardiac functions. In case of ingestion perform a gastric lavage and administer charcoal (carbo medicalis) and sodium sulphate.

Anti-convulsive therapy: Diazepam i.v. is the remedy of choice; barbiturates, e.g. Phenobarbital and calcium gluconate, may also be used. In case of shortness of breath, give oxygen.

Contraindication: Derivatives of adrenaline.

DIRECTIONS FOR USE:

USE ONLY AS DIRECTED.

Close all windows and wall openings in the area to be treated. Switch off all air-conditions and fans. Open all cupboards, drawers and closures.

Place the aerosol unit on a stable surface either on the floor or elevated on a tabletop in the centre of the room to be treated. Place a piece of paper or cloth underneath. The aerosol nozzle sprays upwards so the operator must point the nozzle away whilst depress the actuator until it locks in position. Leave the room immediately and close the exit door.

Keep the treated area closed for at least three hours. Ventilate the area for at least 30 minutes by opening all doors and windows before allowing occupation. One 325ml aerosol is adequate to treat 173m³ of air space. For larger areas calculate the volume air space and use the appropriate number of aerosol cans.